

Contents of *Aquaculture*, Volume 144

VOL. 144 NOS. 1-3

10 SEPTEMBER 1996

Diseases, Parasites and Predators

- Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study
F. Padrós and S. Crespo (Barcelona, Spain) 1
- Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages
P. Smith (Galway, Ireland) and O.B. Samuelsen (Bergen, Norway) 17
- Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment
R. Namdari, S. Abedini and F.C.P. Law (Burnaby, B.C., Canada) 27
- An evaluation of some relaxants for use with pearl oysters
J.H. Norton, M. Dashorst, T.M. Lansky and R.J. Mayer (Townsville, Qld., Australia) 39
- Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland
S.C. Culloty and M.F. Mulcahy (Cork, Ireland) 53
- Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L.
I.R. Bricknell, D.W. Bruno, T.J. Bowden (Aberdeen, UK) and P. Smith (Argyll, UK) 65

Genetics and Breeding

- Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*)
G.-S. Su, L.-E. Liljedahl (Uppsala, Sweden) and G.A.E. Gall (Davis, CA, USA) 71

Husbandry and Management

- Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae
E.C. Capinpin Jr and K.G. Corre (Iloilo, Philippines) 81
- Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments.
L.L. Castell (Townsville, Qld., Australia), W. Naviti and F. Nguyen (Port Vila, Vanuatu) 91
- The importance of bacterial multiplication in the selection, by oxytetracycline-HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms
J. Kerry (Cork, Ireland), M. Slattery, S. Vaughan and P. Smith (Galway, Ireland) 103
- Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment
F.J. Gonzalez-Vila, A. Mancha (Sevilla, Spain), G. Almendros (Madrid, Spain), F. Martin and J.C. Del Rio (Sevilla, Spain) 121
- Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia)
E. Vacelet, A. Amoux and B. Thomassin (Marseille, France) 133

Toxicity and LD ₅₀ levels of the red tide dinoflagellate <i>Heterocapsa circularisquama</i> on juvenile pearl oysters K. Nagai (Mie, Japan), Y. Matsuyama, T. Uchida, M. Yamaguchi (Hiroshima, Japan), M. Ishimura, A. Nishimura, S. Akamatsu and T. Honjo (Mie, Japan)	149
Nitrogenous excretion in <i>Macrobrachium rosenbergii</i> at different pH levels J.-C. Chen and C.-T. Kou (Keelung, Taiwan)	155
Effects of saponin on survival, growth, molting and feeding of <i>Penaeus japonicus</i> juveniles J.-C. Chen, K.-W. Chen and J.-M. Chen (Keelung, Taiwan)	165
Comparison of channel catfish, <i>Ictalurus punctatus</i> , and fathead minnow, <i>Pimephales promelas</i> , production and water quality among a polyculture and two monoculture systems G.M. Ludwig (Stuttgart, AR, USA)	177
Nutrition	
Decreased 20:4n - 6/20:5n - 3 ratio in sperm from cultured sea bass, <i>Dicentrarchus labrax</i> , brood-stock compared with wild fish M.V. Bell, J.R. Dick, M. Thrush (Stirling, UK) and J.C. Navarro (Torre de la Sal, Spain)	189
Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, <i>Macquaria australasica</i> , broodfish M. Sheikh-Eldin, S.S. De Silva, T.A. Anderson (Warrnambool, Vic., Australia) and G. Gooley (Alexandra, Vic., Australia)	201
Adult <i>Artemia</i> as food for first feeding coho salmon (<i>Oncorhynchus kisutch</i>) J. Kim, K.C. Massee and R.W. Hardy (Seattle, WA, USA)	217
The need for dietary mineral supplementation for Nile tilapia, <i>Oreochromis niloticus</i> , cultured in a semi-intensive system C.R.S. Dato-Cajegas and A. Yakupitiyage (Bangkok, Thailand)	227
The effects of dietary crude protein on growth of the Eurasian perch <i>Perca fluviatilis</i> E.D. Fiogbé, P. Kestemont (Namur, Belgium), C. Mèlard (Tihange, Belgium) and J.C. Micha (Namur, Belgium)	239
Weaning of metamorphosed winter flounder (<i>Pleuronectes americanus</i>) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency G.W.Y. Lee (Montréal, Qué., Canada) and M.K. Litvak (Saint John, N.B., Canada)	251
Physiology and Endocrinology	
Cryopreservation of semen of the grayling (<i>Thymallus thymallus</i>) and the Danube salmon (<i>Hucho hucho</i>) F. Lahnsteiner (Salzburg, Austria), T. Weismann (Mondsee, Austria) and R. Patzner (Salzburg, Austria)	265
VOL. 144 NO. 4	
30 SEPTEMBER 1996	
Genetics and Breeding	
Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return J. Jónasson (Reykjavik, Iceland)	277
Progress in a Sydney rock oyster, <i>Saccostrea commercialis</i> (Iredale and Roughley), breeding program J.A. Nell (Taylors Beach, NSW, Australia), A.K. Sheridan (Cronulla, NSW, Australia) and I.R. Smith (Taylors Beach, NSW, Australia)	295
Husbandry and Management	
Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (<i>Rhombosolea tapirina</i> Günther, 1862) P.R. Hart, W.G. Hutchinson and G.J. Purser (Launceston, Tas., Australia)	303
Size and feed dependent cannibalism with juvenile snakehead <i>Channa striatus</i> J. Qin and A.W. Fast (Kaneohe, HI, USA)	313

Aquaculture potential of the Suminoe oyster (<i>Crassostrea ariakensis</i> , Fugita 1913) C.J. Langdon and A.M. Robinson (Newport, OR, USA)	321
Nutrition	
Two novel <i>Artemia</i> enrichment diets containing polar lipid L.A. McEvoy (Stirling, UK), J.C. Navarro, F. Hontoria, F. Amat (Castellón, Spain) and J.R. Sargent (Stirling, UK)	339
Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone <i>Haliotis fulgens</i> L.E. Rivero and M.T. Viana (Ensenada, México).	353
Effect of dietary fatty acids on growth of milkfish <i>Chanos chanos</i> fry in brackish water V.R. Alava (Iloilo, Philippines) and A. Kanazawa (Kagoshima, Japan)	363
Feeding activity patterns of the Southern brown shrimp <i>Penaeus subtilis</i> under semi-intensive culture in NE Brazil A.J.P. Nunes, S. Goddard (St. John's, Nfld., Canada) and T.C.V. Gesteira (Ceará, Brazil)	371
Announcement	387
Corrigendum	389
Contents of Aquaculture, Volume 144	391

Contents (continued)

Feeding activity patterns of the Southern brown shrimp <i>Penaeus subtilis</i> under semi-intensive culture in NE Brazil A.J.P. Nunes, S. Goddard (St. John's, Nfld., Canada) and T.C.V. Gesteira (Ceará, Brazil) . .	371
Announcement	387
Corrigendum	389
Contents of <i>Aquaculture</i> , Volume 144	391

